



HEART &  
STROKE  
FOUNDATION

CANADIAN  
**Stroke**  
BEST PRACTICE  
RECOMMENDATIONS



# CANADIAN STROKE BEST PRACTICE RECOMMENDATIONS

## Overview and Methodology

Update 2014

Lindsay MP, Gubitz G, Bayley M, Phillips S, and Smith EE (Editors),  
on Behalf of the Canadian Stroke Best Practices Advisory Committee

January 2014

© 2014 Heart and Stroke Foundation

## ACKNOWLEDGEMENTS AND CITATION

### ACKNOWLEDGEMENT

The Heart and Stroke foundation and the Canadian Stroke Network gratefully acknowledges the *Canadian Stroke Best Practice Recommendations* advisory committee, writing group leaders and members and the external reviewers, all of who volunteered their time and expertise to the ongoing development and updates of these stroke guidelines. We thank the Canadian Stroke Quality and Performance Advisory Committee for its work in exploring and updating the performance measures that accompany each recommendation. We thank our colleagues at Heart and Stroke Foundation, including in the communications, French translation, health information, survivorship and publications departments for their contributions to dissemination of these guidelines.

### FUNDING

The development of the Canadian stroke best practice guidelines and all supporting resources and materials is funded in its entirety by the Heart and Stroke Foundation and the Canadian Stroke Network. Funds from the Canadian Stroke Network were received through the Canadian Networks of Centres of Excellence program. No funds for the development of these guidelines come from commercial interests, including pharmaceutical companies. All members of the recommendation writing groups and external reviewers are volunteers and do not receive any remuneration for participation in guideline and implementation resource development, updates and reviews. All writing group participants and external reviewers are required to report all potential or actual financial conflicts of interest, which are then publicly disclosed.

### CITATION

Lindsay MP, Gubitz G, Bayley M, Hill MD, Phillips S, and Smith EE. *Canadian Stroke Best Practice Recommendations Overview and Methodology*. On behalf of the Canadian Stroke Best Practices Advisory Committee and Writing Groups. 2014; Ottawa, Ontario Canada: Heart and Stroke Foundation, Canada.

### STROKE TEAM CONTACT

The Canadian Stroke Best Practices and Performance team invites comments, suggestions, and inquiries on the development and application of the *Canadian Stroke Best Practice Recommendations*. Please forward comments to: [strokebestpractices@hsf.ca](mailto:strokebestpractices@hsf.ca)

## TABLE OF CONTENTS

<b>CANADIAN STROKE BEST PRACTICE RECOMMENDATIONS SUMMARY .....</b>	<b>5</b>
<b>1.0 OVERVIEW .....</b>	<b>6</b>
<b>2.0 GUIDELINE DEVELOPMENT AND UPDATE METHODOLOGY .....</b>	<b>10</b>
2.1 GUIDELINE DEVELOPMENT FRAMEWORK.....	11
2.2 LEADERSHIP AND PARTICIPANTS.....	12
2.3 COLLABORATIONS AND ALIGNMENT .....	13
2.4 FORMAT OF THE CANADIAN BEST PRACTICE RECOMMENDATIONS.....	14
<b>3.0 KNOWLEDGE MOBILIZATION.....</b>	<b>15</b>
3.1 IMPLEMENTATION RESOURCES AND KNOWLEDGE TRANSFER TOOLS.....	15
3.2 ACCESS TO THE CANADIAN STROKE BEST PRACTICE RECOMMENDATIONS.....	16
3.3 DISSEMINATION OF THE CANADIAN STROKE BEST PRACTICE RECOMMENDATIONS .....	16
3.4 ACCREDITATION CANADA STROKE DISTINCTION PROGRAM.....	17
<b>REFERENCES .....</b>	<b>19</b>

## CANADIAN STROKE BEST PRACTICE RECOMMENDATIONS SUMMARY

The *Canadian Stroke Best Practice Recommendations* are intended to provide up-to-date evidence-based guidelines for the prevention and management of stroke, and to promote optimal recovery and reintegration for people who have experienced stroke (patients, families, informal caregivers). The goal of disseminating and implementing these recommendations is to reduce practice variations in the care of stroke patients across Canada, and to reduce the gap between knowledge and practice. Recommendations are updated on a rotating cycle every two years to ensure they continue to reflect the most current stroke research evidence and leading expert opinion. Each update involves critical review of the current healthcare literature, which informs decisions regarding modification of the recommendations and the performance measures used to assess their impact. Every attempt is made to coordinate with other Canadian groups who are developing guidelines that relate to stroke, such as hypertension, atrial fibrillation and diabetes. If significant new evidence becomes available in between update cycles, a process is in place to conduct a modified Delphi review to rigorously assess the new evidence and gain consensus on the impact of that evidence on current recommendations. Modifications that are required through the consensus process will be made as soon as they are available, which is readily enabled through the web-based format of the Canadian stroke best practices.

This is the fifth edition of the *Canadian Stroke Best Practice Recommendations*, which were first released in 2006. The theme of the 2012 – 2013 update (fourth edition) was **TAKING ACTION**, and stressed the critical role and responsibility of healthcare providers at every stage of the continuum of care to ensure that best practice recommendations are implemented and adhered to. **TAKING ACTION** will lead to optimal outcomes for each person affected by stroke by providing the best care within the most appropriate setting, by healthcare professionals with stroke expertise.

The theme for the 2014 – 2015 update is **Working Together with Stroke Survivors and their Caregivers to Achieve Optimal Outcomes**. This theme emphasizes the need for a committed interprofessional team approach to stroke care across the continuum, and to ensure consistent patient-centred care delivery. With stroke patients and family members at the core, the entire team must be supported and actively engaged at every stage of care and in every setting. The HSF Canadian Stroke Best Practice Recommendations provide healthcare professionals with the most current evidence and expert guidance on how to engage in patient-centred optimal stroke care for patients and family members. Patients and family caregivers particularly should receive education and be empowered as active participants throughout their journey of recovery to ensure meaningful contributions to goal setting and treatment planning. This theme aligns with and supports the new HSF survivorship mission priority and will be incorporated within each chapter of the Canadian Stroke Best Practice Recommendations as they are updated in 2014 and 2015.

ALL CANADIAN STROKE BEST PRACTICE RECOMMENDATIONS,  
EVIDENCE REVIEWS, SUPPORTING DOCUMENTS AND IMPLEMENTATION TOOLS CAN BE ACCESSED  
THROUGH OUR STROKE BEST PRACTICES WEBSITE AT:  
**[WWW.STROKEBESTPRACTICES.CA](http://WWW.STROKEBESTPRACTICES.CA)**

## 1.0 OVERVIEW

### INTRODUCTION

The *Canadian Stroke Best Practice Recommendations* (CSBPR) are intended to provide up-to-date evidence-based guidelines for the prevention and management of stroke, and to promote optimal recovery and reintegration for people who have experienced stroke (patients, families and informal caregivers). The CSBPR are under the leadership of the Heart and Stroke Foundation, Canada (HSF), following the 2013 transition of Canadian stroke best practices and quality activities to the HSF from the Canadian Stroke Network.

The goal of disseminating and implementing these recommendations is to reduce practice variations in the care of stroke patients across Canada, and to reduce the gap between current knowledge and clinical practice.

### WHY IS BETTER STROKE MANAGEMENT IMPORTANT?

- Every year, approximately 60,000 people with stroke and transient ischemic attack are treated in Canadian hospitals. Moreover, it is estimated that for each symptomatic stroke, there are nine “silent” strokes that result in subtle changes in cognitive function and processes.
- Stroke and other cerebrovascular diseases are the third leading cause of death in Canada.
- Stroke is the leading cause of adult disability, with some 315,000 Canadians living with the effects of stroke.
- The annual cost of stroke is approximately \$3.6 billion, taking into account both healthcare costs and lost economic output.
- The human cost of stroke is immeasurable.

The HSF works closely with national and provincial stakeholders and partners to develop and implement a coordinated and integrated approach to stroke prevention, treatment, rehabilitation, and community reintegration in every province and territory in Canada. The CSBPR provides a common set of guiding principles for stroke care delivery, and describes the infrastructure necessary at a system level, and the clinical protocols and processes that are needed to achieve and enhance integrated, high-quality, and efficient stroke services for all Canadians. Through the innovations embodied within the stroke best practices, these guidelines contribute to health system reform in Canada and internationally.

The *Canadian Stroke Best Practice Recommendations* are developed and presented within a continuous improvement model and are written for health system planners, funders, administrators, and healthcare professionals, all of whom have important roles in the optimization of stroke prevention and care and who are accountable for results. A strong stroke research literature base is drawn upon to guide the optimization of stroke prevention and care delivery. Several implementation tools are provided to facilitate uptake into practice, and are used in combination with active professional development programs. By monitoring performance, the impact of adherence to best practices is assessed and results then used to direct ongoing improvement. Recent stroke quality monitoring activities have compelling results which continue to support the value of adopting evidence-based best practices in organizing and delivering stroke care in Canada.

## 1.2 CANADIAN STROKE BEST PRACTICES OPTIMAL STROKE SERVICES FRAMEWORK OVERVIEW


The Heart and Stroke Foundation, in collaboration with the CSBPR advisory committee and key stakeholders have developed a framework to facilitate system improvement through the adoption of evidence-based best practices in stroke across the continuum of care.

Optimal stroke services include access to stroke experts, diagnostic equipment and expertise, and a range of emergent and timely evidence-based treatment options. Canadian stroke audit data has revealed considerable variations in the levels of stroke care services provided within the Canadian health care system. These services can be arranged along a continuum from minimal, non-specialized services in organizations that provide general health care, to providing basic diagnostic services and management, then advanced care at a single site, and on to comprehensive stroke care across a region.

The Canadian Stroke Best Practices Optimal Stroke Services Framework, as visualized in Figure 1 is meant to organize and prioritize stroke services based on resource availability for a regional or geographic area. The goal set forth within this framework is for each organization involved in the delivery of stroke care services to engage in an ongoing cycle of developing the expertise, processes and protocols needed to provide optimal stroke patient care, taking into consideration the organization's geographic location, patient population, structural resources, and relationship to other centres within their healthcare region or system. Once a level of stroke services has been achieved, the organization should strive to develop and incorporate components of the next higher level for ongoing growth of stroke services where appropriate, as well as continuous quality improvement within the level of service currently provided. Within this framework, certain aspects of patient care are paramount and represent the continuum of care and cross-continuum issues (such as rehabilitation and prevention). These supporting elements (identified in the outer ring of the framework) should be considered at every healthcare encounter for patients with stroke or TIA.

The Canadian Stroke Best Practice Recommendations are written with this framework as a reference point. Optimally, in Canada, all acute stroke patients should be initially managed in centre providing either advanced or comprehensive stroke services where acute thrombolysis, access to advanced neuro-interventional expertise is available. It is acknowledged that in a small number of cases this may not be required or it may not be possible as a result of geography or resource availability (e.g., ambulances leaving a small community for a long duration for a transport, or a patient with mild resolving symptoms). Advanced and comprehensive centres not only provide access to acute thrombolysis, they also have active stroke teams that can be mobilized in a timely manner to rapidly assess, diagnose and implement management strategies to reduce the risk of stroke recurrence or poor outcomes. Basic stroke services have neuroimaging capability (i.e., a CT scanner on site), but do not offer tPA or other organized stroke care. In some cases, they offer basic prevention services. Organizations that are considered general health services do not have brain imaging capability.

The goal for all stroke service providers is to continue to develop expertise and mechanisms to deliver high-quality evidence-based stroke care, optimizing structural resources (e.g., human, equipment, and space), geographic factors and patient populations. Therefore each increasing level of care described in the framework includes all elements, functions and services described for the preceding level plus additional elements, functions and resources with increasing levels of complexity and expertise involved.





## GUIDING PRINCIPLES

The *Canadian Stroke Best Practice Recommendations* development and update process is guided by a core set of principles which are applied all activities of the writing groups. These principles state that all recommendations included in the CSBPR must be:

- supported by high quality evidence and/or strong consensus that they are essential drivers to delivering high-quality stroke care;
- integral to facilitating health system improvement;
- aligned with other stroke-related Canadian best practice recommendations, e.g., the management of hypertension, diabetes, and dyslipidemia to decrease ambiguity and contradictions for front-line clinicians;
- reflective, in their totality, of the full continuum of stroke care.

## SCOPE AND TARGET AUDIENCES

The *Canadian Stroke Best Practice Recommendations (Update 2012-2013)* presents high-quality, evidence-based stroke care recommendations in a standardized framework to support healthcare professionals across all disciplines. Implementation of these recommendations is expected to reduce practice variations and closing the gaps between evidence and practice.

**Scope:** This document provides a synthesis of best practices in stroke care across the continuum from stroke symptom onset and first contact with the healthcare system, though to community reintegration and long-term adaptation. The recommendations reflect areas of stroke care with the highest levels of available research evidence (Level A evidence), and/or those topics that are considered key system drivers of stroke care in Canada. The recommendations address system level, organizational level and patient level issues for stroke care delivery.

In this document, the “continuum of stroke care” is defined as including:

- Public awareness and early recognition of stroke
- Management of stroke risk factors (e.g., hypertension, diabetes, atrial fibrillation, carotid disease, sleep apnea)
- Hyperacute stroke management
- Acute stroke management (inpatient stroke care)
- Stroke rehabilitation
- Stroke Patient transitions across care settings and phases of care
- Prevention of stroke recurrence (secondary prevention)
- Community reintegration
- Long-term recovery and adaptation
- Use of Telestroke technology.

**Target audiences:** The recommendations are targeted to health professionals throughout the health system who care for those affected by stroke. Health system policy makers, planners, funders, senior managers, and administrators who are responsible for the coordination and delivery of stroke services within a province or region will also find this document relevant and useful to their work.

The recommendations are designed to be used by front-line healthcare professionals from a range of disciplines who provide direct care to stroke patients, including primary care practitioners, neurologists, internists, emergentologists, nurses, physiatrists, physical therapists, occupational therapists, speech-language pathologists, social workers, dieticians, pharmacists, psychologists, health care professionals in training, and other disciplines and support staff.

The stroke care community recognizes that human, financial, and system resource limitations make it difficult to implement all recommendations provided in the *CSBPR* chapters. However, the recommendations and performance measures are presented as “gold standards” toward which all organizations and systems should strive. Additionally, they can be valuable tools and information sources for anyone advocating for improved stroke care services, and used in self-assessment exercises to identify gaps in stroke service delivery.

## **CONTEXT**

The actual recommendations provided in the *CSBPR* should be considered as evidence-based guidelines rather than rigid rules. As noted above in the description of the Optimal Stroke Services Framework (section 1.2), not all recommendations will be applicable to all patients in all settings. The goal is to implement all applicable recommendations into routine practice. Unique patient circumstances and good clinical judgment also play a critical role in patient management decisions. The recommendations provided in the *CSBPR* should support, not supplant, individualized care planning.

## **UPDATES AND REVISIONS**

The *Canadian Stroke Best Practice Recommendations* undergo a thorough formal review and update of each chapter every two years. The *CSBPR* were first introduced in 2006, and subsequently updated and expanded in 2008, 2010 and 2012. The 2012-2013 update underwent review between January 2012 and September 2013. Coordination for the 2014 update cycle began in October 2013.

Since research evidence for stroke care delivery is very dynamic and evolving, a protocol has been established to address late-breaking evidence in a timely way. When new evidence is released that may have an impact on any recommendations contained within these guidelines, the appropriate writing group is contacted and the evidence is reviewed, and decisions made regarding its impact on current recommendations. Any proposed revisions proceed through the same rigorous review process that is followed for the full chapter reviews. The *CSBPR* team then releases an interim bulletin regarding any off-cycle revisions that have been approved. These bulletins are incorporated into subsequent updates as applicable.

Details about the update cycle and process are described in Section 2 below.



## 2.0 GUIDELINE DEVELOPMENT AND UPDATE METHODOLOGY


The *Canadian Stroke Best Practice Recommendations* are updated every two years. Starting with the 2012 cycle, the update process moved from a model where all chapters were reviewed and updated simultaneously to a new process where individual chapters are reviewed on a rotating basis, whereby at the end of a two-year cycle, all chapters would be reviewed and updated (see Figure 2). This new process enables efficiency of resources and greater engagement of internal experts and external reviewers for each chapter.

Each chapter update takes approximately nine months to complete and is conducted in three stages. At any given time, there is a chapter in progress at each stage of the update process. A full schedule is available in the Appendix of this document. The development stages include:

1. **Research** – identification of emerging research evidence since last release of each chapter, and update of evidence tables (approximately 3 months)
2. **Writing and Revisions** – the writing group reviews existing recommendations and all new evidence, and new material included in external guidelines. They discuss content and propose revisions to the chapter, and complete a final draft (approximately 3 months).
3. **Review and Release** – the proposed chapter update is reviewed internally and then externally. When the chapter update is complete it is translated into French and publicly released and posted on the CSBPR website. Dissemination and educational activities are planned to increase awareness and uptake of new components (approximately 3 months).

**Figure 2: Canadian Stroke Best Practices Update Cycle**


(Represents time when each chapter starts the Research phase. Based on 24 months, 8 fiscal quarters)



## 2.1 GUIDELINE DEVELOPMENT FRAMEWORK

The conceptual framework used to guide the identification, selection, development, and revision of the *Canadian Best Practice Recommendations for Stroke Care* is the Practice Guideline Evaluation and Adaptation Cycle described by Graham and colleagues (2002), and updated in 2005 with the formation of

For all stroke guideline updates and new recommendation development, the Canadian stroke best practices writing groups follow these steps:



**Figure 2: Canadian Best Practice Recommendations for Stroke Care Update Process**

At the onset of each stroke best practice update cycle, this guideline development framework itself is reviewed and refined to ensure high-quality and rigorous guideline development principles and methods continue to be adhered to. The stroke best practices team members are active members of the Guideline International Network and the World Stroke Organization Guidelines and Quality committee. These memberships allow international ongoing dialogue regarding guideline development and implementation methodologies, and opportunities to constantly learn and refine the stroke guideline development methodology.

Detailed descriptions of activities involved in each stage of the framework are described throughout the remainder of this section.

## 2.2 LEADERSHIP AND PARTICIPANTS

**The Canadian Stroke Best Practices Advisory Committee:** This Advisory Committee has overall responsibility for the stroke guideline development and update process. This group meets bi-monthly. They are responsible for selecting writing group chairs and approving membership of writing groups. Prior to the initiation of each chapter update, the Advisory Committee meets with members of the writing group to discuss scope of the revisions and identifies areas of focus based on new evidence releases and feedback following the release of the previous edition of the chapter. This group serves as internal reviewers for all chapters once the writing group has completed their final draft update. Members of the Advisory Committee represent the Canadian stroke guideline group on other national and international guideline committees. This committee is led by two co-chairs, and is supported by the HSF Director of Best Practices and Performance, Stroke. Members on the advisory committee serve a two-year term with the opportunity to serve for a maximum of two terms. For each update cycle, approximately half the advisory committee members are turned over, including one co-chair, to ensure a mix of both continuity and an influx of new perspectives.

**The Writing Groups:** An interprofessional group of stroke care experts are convened for each of the eight chapters of the *Canadian Stroke Best Practice Recommendations* to participate in reviewing, drafting, and revising recommendation statements. Recognized experts in each topic area are selected by the Advisory Committee to chair each writing group. The Writing Group chairs then identify and propose membership, in consultation with the HSF Stroke team. Members are selected who have extensive experience in the topic area, are considered leaders and experts in their field have been involved in clinical trials or publications in the topic, are people who have experienced a stroke or their family members, and those who have experience appraising the quality of research evidence. Members are selected from across healthcare disciplines, such as stroke neurologists, physiatrists, nurses, emergency physicians, paramedics, physical therapists, occupational therapists, dietitians, speech-language pathologists, pharmacists, stroke survivors, education experts, professionals from other disciplines, guideline methodologists, healthcare economists, healthcare administrators and others as appropriate to each topic. This interprofessional approach ensures that the perspectives and nuances of all relevant health disciplines are considered in the development of the recommendations. In addition, every attempt is made to have representation from all or most provinces and territories to ensure geographic issues are considered. Other experts outside the writing group may be consulted for very specific issues as required throughout the development and update process. These writing groups are led by two co-chairs, and are supported by the HSF Director of Best Practices and Performance, Stroke.

Members of the writing groups are responsible for reviewing all available research evidence and existing recommendations, revising the chapter as deemed appropriate and responding to reviewer feedback in finalizing the chapter for public release. Members of the writing groups serve for one update cycle, with the opportunity to serve for a maximum of two cycles. For each update cycle, approximately half the writing group members are turned over, including one co-chair, to ensure a mix of both continuity and an influx of new perspectives.

**External Reviewers:** An expert external review group of approximately twelve healthcare professionals and persons living with stroke are engaged to review and provide feedback on each stroke best practices chapter update. The external review takes place after internal review is completed. External reviewers are selected based on expertise in subject matter, representation from appropriate health care disciplines relevant to the chapter under review, and willingness to participate. External reviewers are identified by both the writing group members and the advisory committee. All external reviewers must not have participated in the development of the chapter in any direct way and are not current members of the writing group or the advisory committee. At least one or two external reviewers are selected from international experts outside of Canada, and two are people who have had a stroke or are a family member or informal caregiver.

**Inclusion of Persons Living with Stroke:** People who have experienced a stroke, their families and informal caregivers are at the centre of the Canadian stroke best practices. Within Canada, there are several active stroke support groups across provinces who are engaged with the HSF. Members of these groups are included on writing groups and serve as external reviewers. They also participate in the development of resource materials for both families and professionals, presentations on behalf of best practices and stroke, and on related working groups.

**Conflict of Interest:** All potential participants in the recommendation development and review process are required to sign confidentiality agreements and to declare all actual and potential conflicts of interest in writing. Any conflicts of interest that are declared are reviewed by the Chairs of the Advisory committee and appropriate HSF staff members for their potential impact. Potential members of any writing group who have conflicts that are considered to be significant are not selected for advisory or writing group membership.

There is no financial remuneration provided to any member of the Stroke Best Practices advisory committee, writing groups, or to external reviewers. Participants are provided with a certificate of participation and many are able to count their participation on these committees as part of their professional education declarations for their annual professional license renewal process.

### 2.3 COLLABORATIONS AND ALIGNMENT

Healthcare professionals working in stroke and related vascular conditions, and those working in primary care, are frequently faced with several dilemmas that impede evidence-based guideline uptake into their routine practice. Implementation Science research has identified several barriers, such as: increasing number of guidelines available; multiple guidelines disseminated on the same topic by different groups; conflicting recommendations on the same topic; and, ambiguous or not actionable recommendations. To circumvent some of these barriers, the Canadian stroke best practices group has formed alliances with several related guideline development groups. Some of these groups include the Canadian Cardiovascular Society (atrial fibrillation guidelines), Canadian Partnership for Stroke Recovery, Canadian Hypertension Education Program (blood pressure recommendations), Canadian Diabetes Association, CAN-ADAPTT and C-Change for smoking cessation and lifestyle management recommendations; the Canadian Stroke Consortium (tPA recommendations); the Emergency Medical Services Chiefs of Canada and Paramedics Association of Canada (prehospital EMS management of patients with stroke); National Stroke Nursing Council and the Registered Nursing Association of Ontario (nursing activities related to several topic areas); and, Accreditation Canada (system level recommendations, medication reconciliation, patient education, transitions of care). In addition the Canadian best practices groups work closely with two stroke evidence synthesis groups who contribute significantly to the Canadian stroke best practices update process: the Evidence Based Review of Stroke Rehabilitation (Teasell et al) and StrokEngine (Korner-Bitensky et al).

The goal of these collaborations is three-fold: 1) to increase cross-sector participation on guideline development initiatives in Canada, 2) to ensure consistent recommendations are available in Canada, and 3) to reduce duplication of effort. Through these relationships, every attempt is made to provide identical or very similar recommendations on the same topic by all groups, through reciprocal consensus building processes. Representatives from some of these groups are invited to participate of related Canadian stroke writing groups and members of the Canadian stroke writing groups actively participate on the writing groups of these other guideline developers, or serve as external reviewers. In addition, where detailed Canadian guidelines for specific components of stroke care already exist (for example, diabetes management in persons with stroke, hypertension, and primary prevention of stroke in patients with atrial fibrillation), the recommendations from those groups are formally reviewed and in most cases endorsed or adopted and are not redeveloped by the Canadian stroke groups. Rather, readers are

referred to those original documents for the specific recommendation, whereas the *Canadian Stroke Best Practice Recommendations* address related structural and process issues for those components.

## 2.4 FORMAT OF THE CANADIAN BEST PRACTICE RECOMMENDATIONS

The *Canadian Stroke Best Practice Recommendations* are divided into the following eight chapters: 1) Stroke Awareness, 2) Prevention of Stroke, 3) Hyperacute Stroke Management, 4) Acute Inpatient Stroke Care, 5) Stroke Rehabilitation, 6) Transitions of Care following Stroke, 7) Mood and Cognition following Stroke, and, 8) Telesstroke. Chapters are further separated into topic-based subsections, each of which consists of the following elements:

- ♦ **Best Practice Recommendations:** describes the recommended practices, processes of care and activities, providing specific direction for front-line staff and caregivers for delivering optimal stroke care.
- ♦ **Rationale:** summarizes the importance of the topic and recommendations, their relevance to stroke care delivery or patient outcomes, and the potential impact of implementation of the recommendations.
- ♦ **System Implications:** provides information on the mechanisms and structures that need to be in place if health systems, facilities, front-line staff, and caregivers are to effectively implement the recommendations (see below for more information on system implication categories).
- ♦ **Performance Measures:** provide managers and administrators with a standardized and validated mechanism to consistently monitor the quality of stroke care and the impact of implementing best practice recommendations. The most important performance measures are highlighted in **bold type**. The remaining performance measures are provided for those who are able to conduct a more extensive evaluation of stroke performance. Performance measures that are part of the Canadian Stroke Quality and Performance core indicator set are indicated by the notation (**core**) following the indicator statement. Refer to the Appendix for a full list of core indicators.
- ♦ **Implementation Resources and Knowledge Transfer Tools:** provides links to websites and tools developed or recognized by the Canadian Stroke Best Practices group and/or their partners and collaborators. Resources include 'how-to' guides and educational materials for healthcare professionals, patients, and caregivers. This section also identifies patient screening and assessment tools that have been found through review and consensus to be valid, reliable and relevant to stroke populations.
- ♦ **Summary of the evidence:** provides a brief summary of the research used as part of the development of the recommendations. At the bottom of each summary, a link is provided to the detailed evidence tables, including research evidence and external guidelines, and a complete reference list for the section.

## 3.0 KNOWLEDGE MOBILIZATION

The Heart and Stroke Foundation and the Canadian Stroke Best Practices team encourage provincial/territorial and regional stroke programs to adopt the *Canadian Stroke Best Practice Recommendations* in their entirety. While the process and speed of implementation will vary depending on resource availability, geographic location and local circumstances, the vision of offering integrated, high quality, and efficient stroke services to all Canadians should be shared and supported across the country.

The Canadian Stroke Best Practices team recognizes that producing and publishing evidence-based guidelines is not sufficient to change practice. Research has shown that a range of mechanisms are required to achieve uptake and adherence to evidence-based care. To enhance implementation of best practice recommendations, the advisory committee and writing groups work closely with professional education specialists and tool developers. The results of these efforts are integrated directly within the best practice recommendations for easy access. In addition, members of the HSF stroke team, advisory and writing group members provide educational sessions, lectures, training workshops, abstract submissions to local, national and international stroke meetings, and contribute to the growing body of stroke research evidence.

### 3.1 IMPLEMENTATION RESOURCES AND KNOWLEDGE TRANSFER TOOLS

In order to deliver a comprehensive stroke best practice package, several implementation tools and resources are included within the recommendation supporting materials. Some materials provided are developed by members of the writing groups and directly reflect the Canadian stroke best practices content. Other materials have been developed by external, third-party groups. These materials are reviewed by writing group members and selected based on content, quality of material and development process, and editorial independence, similar to the criteria applied in selecting external recommendations which are considered as reference guidelines for the chapter update process. The resources provided for any topic are not exhaustive of what may be available; they are intended to provide a solid starting place to facilitate uptake and implementation.

Depending on the topic of the recommendations, these materials may consist of:

- links to summary tables, websites and tools specifically developed by Canadian Stroke Best Practices groups;
- educational teaching materials for health professionals, including a full set of educational slides covering each chapter content that are available on the website and openly accessible for unrestricted educational purposes;
- training and skills development materials for health professionals;
- educational and skills development materials that stroke team professionals can provide to patients and their families;
- validated screening and assessment tools that have been reviewed and selected by consensus for strong psychometric properties, applicability, reliability and relevance to stroke populations;
- standing order set templates, protocols, checklists and work flow sheets;
- links to websites and tools developed by third party stroke best practices partners and collaborators, which are reviewed and selected by consensus through the stroke best practice writing groups.



All materials included in these sections of the recommendation documents are available in print or electronically. The Canadian stroke best practices team members do not receive any remuneration or profits from their support and distribution of third-party materials.

Some of the screening and assessment tools that are listed within the implementation resources may be proprietary. Access to these materials and payment for their use is the responsibility of the individuals who chose to use them.

### 3.2 ACCESS TO THE CANADIAN STROKE BEST PRACTICE RECOMMENDATIONS

The *Canadian Stroke Best Practice Recommendations* are openly available at no cost, in English and French.

**The *Canadian Stroke Best Practice Recommendations* is available exclusively on-line at [www.strokebestpractices.ca](http://www.strokebestpractices.ca).**

Whereas previous versions were available in print through the Canadian Stroke Network, the Heart and Stroke Foundation and the Canadian Medical Association (2008 edition publication), our dissemination strategy has changed in response to user feedback to electronic distribution. The stroke best practices website enables the stroke best practice team to provide a broader range of materials with direct links between components.

The primary **target audience** for the stroke best practices website is healthcare professionals and people in supporting roles caring for people who have been affected by stroke. This includes people who have experienced a stroke, their families, their professional and informal caregivers, and the lay public.

People who are affected by stroke and the general public can find educational materials produced directly for them, including educational guides for both adult and pediatric stroke, a guide to TIA, and a post-stroke checklist that helps guide discussions with healthcare team members.

### 3.3 DISSEMINATION OF THE CANADIAN STROKE BEST PRACTICE RECOMMENDATIONS

The Heart and Stroke Foundation actively participates in disseminates of the *Canadian Stroke Best Practice Recommendations* through the following activities:

- Posting the recommendations on the Canadian stroke best practices website with free open access internationally;
- Posting links to the website on the websites of stroke best practices partners and collaborators who are identified throughout this document;
- Working closely with the HSF Stroke Provincial-Territorial Advisory Group to disseminate information about stroke best practices throughout their networks, and to work with these contacts to set up educational sessions;

- Posting links to the stroke best practices website on central guideline repository websites such as the World Stroke Organization website, the National Guidelines Clearing House, the Internet Stroke Centre, and the Canadian Medical Association Infobase;
- Writing articles for publication describing changes included in updates, such as the Canadian Medical Association Journal, and the International Journal of Stroke;
- Releasing media announcements and posting media releases on all HSF websites, and in newsletters of the HSF, their partners and stroke best practice collaborators when a new chapter is released;
- Sending email announcements to all stroke contacts in the HSF database, and using social media such as Twitter and stroke blogs to share updated information and draw attention to the stroke best practices website;
- Work with stroke support groups and persons who are affected by stroke to disseminate and interpret stroke best practice materials, including speaking at gatherings, sending newsletters, and having ongoing discussions;
- Presenting at national, provincial, and regional meetings of healthcare professionals across healthcare disciplines and across the continuum of stroke care.
- Making presentations to front-line healthcare professionals at the local level and using local consensus processes to review and provide structured assessment of the enablers and barriers to guideline implementation, as well as innovative implementation strategies.
- Disseminating the recommendations at international stroke meetings, and through the World Stroke Organization, the Guidelines International Network, and international partners and collaborators.

The HSF Canadian stroke team encourages provincial or territorial and regional stroke strategy leaders to use these or other applicable approaches to further disseminate the recommendations and supporting tools to healthcare professionals, health system planners, decision-makers, and funders.

### **3.4 ACCREDITATION CANADA STROKE DISTINCTION PROGRAM**

Accreditation Canada, in partnership with the Canadian Stroke Network and the Heart and Stroke Foundation, created a Stroke Services Distinction program to recognize health organizations that demonstrate clinical excellence and an outstanding commitment to leadership in stroke care. Distinction offers rigorous and highly specialized standards of excellence that are closely based on the *Canadian Stroke Best Practice Recommendations*, addressing acute stroke services, inpatient rehabilitation stroke services, and comprehensive stroke services (for use in a regional setting). Organizations that are currently accredited by Accreditation Canada are eligible for participation in the Stroke Services Distinction program. As of 2013, several stroke centres across Canada have earned Stroke Distinction awards.

In addition to standards and protocols, Distinction requires the ongoing submission of data related to a core set of stroke quality indicators. These indicators are directly derived from key quality indicators embedded within all stroke best practices.

An on-site visit by expert evaluators with wide-ranging experience in the stroke care field takes

place once all documentation has been submitted to Accreditation Canada. During the on-site visit, evaluators interact closely with stroke team members and a range of care providers to understand the extent to which the standards and best practice recommendations have been operationalized. They also spend significant time with people who have experienced a stroke and their family members to understand care delivery from their perspectives.

Distinction is a new opportunity for stroke care leaders to:

- Be recognized for their exceptional commitment to excellence, innovation, high- quality service, and positive outcomes.
- Be part of an innovative strategy to strengthen the uptake and dissemination of stroke best practice recommendations and clinical practice guidelines.
- Achieve and maintain quality and safety by demonstrating compliance with national standards of excellence and meeting performance measure thresholds.

Stroke Services Distinction takes into consideration the way stroke programs are integrated across the communities they serve. This program is an important initiative within the HSF and the Canadian stroke quality strategy, and all stroke care programs in Canada are encouraged to participate in this program as a way to drive quality improvement and consistent monitoring of care and service.

Accreditation Canada works closely with the HSF stroke team. A process is in place between the two groups to ensure the Accreditation stroke distinction standards continue to align with stroke best practices. At the completion of each stroke best practices update cycle, a review of the stroke distinction standards is undertaken and a report provided to Accreditation Canada indicating areas that have been changed in the stroke best practices and/or quality indicators which may require revision in the distinction standards.

Participating in Distinction is a valuable tool that helps stroke service organizations across the continuum identify and celebrate their strengths in stroke care delivery and identify areas for ongoing quality improvement.

More information about Stroke Services Distinction can be found at <http://www.accreditation.ca/accreditation-programs/distinction/stroke-services>

## REFERENCES

1. Appraisal of Guidelines Research & Evaluation II (AGREE). Available at: <http://www.agreetrust.org/>
2. Graham ID, Harrison MB, Brouwers M, Davies BL, & Dunn S. Facilitating the use of evidence in practice: evaluating and adapting clinical practice guidelines for local use by health care organizations. *JOGNN*, 2002;3:599-611.
3. Graham ID, Harrison MB, Lorimer K, et al. Adapting national and international leg ulcer practice guidelines for local use: the Ontario Leg Ulcer Community Care Protocol. *Adv Skin Wound Care* 2005;18:307-18.
4. Guyatt GH, Cook DJ, Jaeschke R, et al. Grades of recommendation for antithrombotic agents: American College of Chest Physicians evidence-based clinical practice guidelines (8th edition) [published erratum in *Chest* 2008;134:473]. *Chest* 2008;133(6 Suppl):123S-131S.
5. Guyatt GH, Oxman AD, Akl EA et al. GRADE Guidelines: 1. Introduction - GRADE evidence profiles and summary of findings tables. *Journal of Clinical Epidemiology*, 2011; 64:383-394.
6. Lindsay MP, Cote, R, Hill MD, on behalf of the Canadian Stroke Quality and Performance Advisory Committee. Canadian Stroke Performance Measurement Manual; Ottawa, ON. Available at: [http://www.strokebestpractices.ca/wp-content/uploads/2012/07/CSS-Performance-Manual-2008\\_EN.pdf](http://www.strokebestpractices.ca/wp-content/uploads/2012/07/CSS-Performance-Manual-2008_EN.pdf).